
$A \rightarrow E E F A$ **BIKE STAND**

ASSEMBLY MANUAL

ORIGINAL INSTRUCTIONS





BIKE STAND ASSEMBLY

Follow the instructions to assemble it correctly:



1. Separate a transverse tube, two brackets and two screws.



3. Tighten the screw using the hexagonal wrench that comes with the set.




5. Tighten the 2 screws using the hexagonal wrench that comes with the set.



2. Join the two brackets to the transversal tube, inserting the two screws to join the parts.



4. Attach the other transverse tube to the two brackets.




6. Separate the third bracket, the 2 solitary gaskets and 2 screws for the next step.




7. Add 1 solitaty gasket to each end of the third bracket.



8. Add the third bracket to the brackets attached to the transverse tube.




9. Fit the screw from the bottom up, joining the third bracket to the brackets attached to the transverse tube.



10. Tighten the screw, joining the third bracket to the brackets attached to the transverse tube.




11. Separate the wheel frame, 2 screws with nut, and hex key.




12. There are three holes in this model: number 1 is for tires 4" wide, number 2 is for tires 3" and number 3 is for tires 2" or smaller.



13. Fit the wheel frame to the 2 brackets and the bolts with nuts.



14. Tighten the nut screws using the open-end wrench on one side and the hexagonal wrench on the other.



15. Tighten the nut screws using the open-end wrench on one side and the hexagonal wrench on the other.



16.The bike stand should look like this after assembly. Make sure all the screws are tight enough before use.

NIREEKA



SUPPORT

support@nireeka.com www.nireeka.com/help-center

www.nireeka.com